

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 08' S LONG 123° 44' E

Times and Heights of High and Low Waters

2027

Time Zone -0800

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0441 7.77 1055 3.11 FR 1713 8.12 2345 3.45		16 0343 8.23 0954 2.64 SA 1606 8.54 2230 3.04 ●		1 0528 6.35 1122 4.58 MO 1811 6.80		16 0427 6.92 1024 4.01 TU 1653 7.42		1 0336 7.58 0935 3.48 MO 1546 7.83 2215 3.83		16 0315 7.90 0915 3.20 TU 1528 8.32 2201 3.46 ●		1 0437 5.84 1007 5.48 TH 1954 6.08		16 0009 4.39 0714 6.48 FR 1341 4.79 2002 6.97	
2 0544 7.07 1155 3.78 SA 1821 7.63		17 0426 7.56 1034 3.29 SU 1653 8.04 2332 3.55		2 0155 4.47 0838 5.93 TU 1440 5.05 2110 6.75		17 0009 4.24 0641 5.95 WE 1238 5.00 1957 6.82		2 0406 6.55 0955 4.50 TU 1620 6.76 2329 4.87		17 0358 6.85 0953 4.26 WE 1621 7.19 2344 4.51		2 0318 4.73 1000 6.50 FR 1556 4.75 2147 6.95		17 0245 3.89 0912 7.42 SA 1524 3.74 2130 7.89	
3 0113 3.75 0720 6.62 SU 1326 4.24 1956 7.42		18 0533 6.81 1138 4.02 MO 1811 7.50		3 0411 3.87 1040 6.73 WE 1630 4.34 2232 7.51		18 0326 3.96 1004 6.62 TH 1552 4.42 2204 7.70		3 1219 5.60 1445 5.56 WE 2112 6.25		18 0700 5.91 1315 5.23 TH 2018 6.69		3 0409 3.82 1022 7.45 SA 1628 3.79 2223 7.85		18 0349 3.00 1000 8.49 SU 1615 2.66 2217 8.76	
4 0251 3.61 0905 6.74 MO 1507 4.20 2121 7.64		19 0122 3.84 0744 6.41 TU 1341 4.47 2016 7.42		4 0501 3.05 1115 7.55 TH 1714 3.56 2312 8.28		19 0444 2.84 1058 7.80 FR 1658 3.27 2300 8.80		4 0415 4.34 1044 6.62 TH 1634 4.55 2228 7.24		19 0329 4.02 0959 6.98 FR 1557 4.14 2201 7.82		4 0438 3.03 1044 8.29 SU 1654 2.94 2250 8.61		19 0431 2.27 1035 9.34 MO 1654 1.82 2254 9.36	
5 0406 3.12 1021 7.25 TU 1619 3.78 2224 8.10		20 0318 3.43 0938 6.86 WE 1534 4.11 2149 8.01		5 0535 2.36 1143 8.23 FR 1745 2.91 2342 8.91		20 0527 1.85 1132 8.84 SA 1740 2.25 2340 9.69		5 0451 3.39 1103 7.54 FR 1703 3.63 2259 8.14		20 0428 2.86 1038 8.22 SA 1645 2.90 2246 8.91		5 0503 2.39 1104 9.01 MO 1719 2.22 2315 9.20		20 0507 1.80 1107 9.94 TU 1729 1.27 2327 9.72	
6 0458 2.56 1109 7.80 WE 1708 3.30 2309 8.59		21 0436 2.61 1050 7.68 TH 1648 3.36 2254 8.82		6 0603 1.85 1206 8.77 SA 1812 2.40 ●		21 0603 1.14 1205 9.67 SU 1817 1.47 ○		6 0517 2.60 1122 8.33 SA 1728 2.86 2323 8.86		21 0506 1.93 1110 9.25 SU 1723 1.90 2321 9.71		6 0529 1.92 1127 9.61 TU 1745 1.63 2341 9.62		21 0539 1.55 1137 10.31 WE 1800 0.95 ○	
7 0537 2.09 1145 8.27 TH 1746 2.86 2345 9.00		22 0530 1.81 1138 8.50 FR 1741 2.58 ○		7 0008 9.38 0629 1.48 SU 1230 9.20 1838 2.00		22 0015 10.28 0636 0.70 MO 1236 10.27 1851 0.93		7 0541 2.01 1142 8.98 SU 1752 2.23 2347 9.41		22 0540 1.30 1139 10.01 MO 1757 1.18 ○		7 0553 1.59 1151 10.08 WE 1812 1.19 ●		22 0609 1.46 1206 10.46 TH 1832 0.85	
8 0611 1.75 1215 8.63 FR 1818 2.54 ●		23 0613 1.19 1217 9.20 SA 1825 1.92		8 0033 9.71 0653 1.24 MO 1253 9.55 1903 1.70		23 0047 10.58 0707 0.50 TU 1306 10.64 1924 0.65		8 0604 1.57 1203 9.52 MO 1815 1.72 ●		23 0610 0.95 1208 10.52 TU 1829 0.74		8 0008 9.89 0619 1.38 TH 1216 10.39 1840 0.90		23 0029 9.84 0638 1.52 FR 1236 10.40 1901 0.94	
9 0016 9.30 0641 1.54 SA 1245 8.89 1848 2.31		24 0024 10.10 0652 0.78 SU 1254 9.74 1904 1.42		9 0059 9.91 0717 1.09 TU 1317 9.83 1930 1.48		24 0119 10.59 0737 0.54 WE 1336 10.74 1955 0.64		9 0011 9.81 0627 1.26 TU 1225 9.95 1841 1.33		24 0024 10.41 0639 0.83 WE 1237 10.79 1859 0.55		9 0036 9.99 0646 1.33 FR 1244 10.52 1908 0.82		24 0059 9.64 0706 1.72 SA 1305 10.15 1930 1.23	
10 0045 9.48 0708 1.43 SU 1311 9.07 1916 2.16		25 0102 10.38 0728 0.60 MO 1329 10.09 1943 1.15		10 0124 9.98 0742 1.05 WE 1342 9.99 1956 1.38		25 0149 10.35 0804 0.80 TH 1404 10.59 2024 0.88		10 0035 10.06 0651 1.08 WE 1248 10.27 1907 1.05		25 0054 10.39 0707 0.90 TH 1305 10.80 1928 0.61		10 0104 9.88 0713 1.44 SA 1312 10.44 1936 0.97		25 0128 9.29 0733 2.05 SU 1332 9.75 1958 1.65	
11 0113 9.56 0735 1.39 MO 1337 9.21 1945 2.08		26 0139 10.40 0801 0.64 TU 1403 10.23 2018 1.11		11 0150 9.89 0805 1.14 TH 1407 10.00 2022 1.41		26 0217 9.88 0829 1.24 FR 1430 10.19 2051 1.35		11 0101 10.15 0715 1.02 TH 1314 10.43 1932 0.93		26 0122 10.14 0733 1.15 FR 1332 10.56 1955 0.90		11 0133 9.59 0739 1.71 SU 1340 10.15 2005 1.34		26 0155 8.85 0759 2.47 MO 1359 9.24 2024 2.18	
12 0140 9.54 0800 1.42 TU 1403 9.29 2013 2.07		27 0214 10.15 0832 0.90 WE 1435 10.13 2052 1.31		12 0216 9.64 0829 1.37 FR 1431 9.86 2048 1.60		27 0245 9.25 0852 1.84 SA 1456 9.58 2117 2.01		12 0128 10.06 0739 1.13 FR 1338 10.41 1959 1.00		27 0149 9.71 0758 1.55 SA 1358 10.12 2020 1.38		12 0202 9.11 0806 2.16 MO 1409 9.65 2035 1.93		27 0221 8.35 0824 2.99 TU 1426 8.64 2052 2.80	
13 0208 9.41 0827 1.55 WE 1430 9.28 2043 2.15		28 0246 9.67 0902 1.34 TH 1507 9.81 2125 1.73		13 0243 9.24 0852 1.75 SA 1457 9.57 2115 1.96		28 0310 8.48 0914 2.59 SU 1521 8.79 ○		13 0153 9.78 0801 1.39 SA 1402 10.20 2024 1.28		28 0215 9.15 0820 2.10 SU 1422 9.52 2045 2.02		13 0233 8.48 0836 2.78 TU 1442 8.93 2112 2.71		28 0251 7.77 0853 3.61 WE 1458 7.94 2127 3.50	
14 0237 9.15 0854 1.78 TH 1500 9.15 2114 2.34		29 0318 9.02 0930 1.95 FR 1538 9.28 ○		14 0310 8.68 0916 2.28 SU 1524 9.09 ○		15 0343 7.91 0945 3.03 MO 1559 8.38 2231 3.35		14 0218 9.34 0825 1.81 SU 1428 9.80 2049 1.75		29 0239 8.48 0842 2.75 MO 1445 8.78 2109 2.79		14 0312 7.69 0914 3.61 WE 1526 8.00 ○		29 0330 7.12 0931 4.33 TH 1542 7.15 ○	
15 0308 8.76 0922 2.14 FR 1530 8.91 2148 2.63		30 0351 8.22 1000 2.71 SA 1611 8.56 2236 3.10						15 0245 8.72 0848 2.39 MO 1455 9.19 2119 2.47		30 0304 7.70 0903 3.54 TU 1511 7.90 ○		15 0415 6.81 1022 4.56 TH 1654 6.99		30 0444 6.48 1057 5.03 FR 1730 6.45	
		31 0429 7.31 1031 3.61 SU 1651 7.68 2330 3.95								31 0333 6.80 0926 4.47 WE 1542 6.90 2231 4.70					

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 08' S LONG 123° 44' E

Times and Heights of High and Low Waters

2027

Time Zone -0800

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0039 4.67 0748 6.49 SA 1413 4.85 2018 6.69		16 0139 3.71 0804 7.74 SU 1431 3.46 2039 7.69		1 0205 3.95 0827 7.68 TU 1457 3.41 2103 7.46		16 0301 3.54 0914 8.25 WE 1549 2.67 2157 7.76		1 0158 4.05 0820 7.66 TH 1504 3.17 2116 7.18		16 0356 3.92 1003 7.75 FR 1638 2.79 2252 7.55		1 0422 3.52 1029 8.38 SU 1704 2.07 2315 8.20		16 0530 2.71 1127 8.77 MO 1747 1.81 2350 8.72	
2 0242 4.23 0905 7.23 SU 1523 4.01 2122 7.40		17 0253 3.29 0907 8.40 MO 1533 2.72 2137 8.22		2 0308 3.56 0918 8.27 WE 1548 2.71 2154 7.98		17 0402 3.28 1008 8.56 TH 1641 2.28 2247 8.11		2 0317 3.75 0930 8.14 FR 1610 2.55 2219 7.71		17 0454 3.38 1056 8.28 SA 1723 2.27 2331 8.08		2 0517 2.66 1119 9.20 MO 1749 1.37 ● 2354 8.97		17 0558 2.19 1154 9.23 TU 1813 1.47 ○	
3 0334 3.57 0945 8.03 MO 1603 3.15 2202 8.11		18 0347 2.84 0954 8.99 TU 1620 2.11 2222 8.66		3 0358 3.12 1002 8.84 TH 1633 2.10 2237 8.43		18 0452 2.99 1054 8.86 FR 1724 1.97 2329 8.40		3 0421 3.27 1027 8.72 SA 1704 1.96 2312 8.25		18 0535 2.88 1134 8.76 SU 1759 1.89 ○		3 0601 1.91 1201 9.84 TU 1829 0.87		18 0014 9.13 0623 1.82 WE 1218 9.54 1837 1.25	
4 0412 2.97 1015 8.76 TU 1636 2.39 2236 8.69		19 0431 2.51 1033 9.41 WE 1700 1.68 2301 8.95		4 0442 2.73 1044 9.33 FR 1715 1.62 2318 8.78		19 0534 2.73 1133 9.10 SA 1802 1.77 ○		4 0515 2.75 1117 9.26 SU 1752 1.48 ● 2357 8.73		19 0003 8.49 0609 2.49 MO 1207 9.11 1830 1.63		4 0030 9.59 0642 1.33 WE 1241 10.23 1905 0.60		19 0036 9.45 0648 1.54 TH 1243 9.70 1900 1.14	
5 0445 2.48 1045 9.37 WE 1708 1.76 2308 9.14		20 0510 2.30 1109 9.67 TH 1737 1.43 ○ 2337 9.11		5 0524 2.42 1124 9.68 SA 1757 1.32 ●		20 0606 8.61 0611 2.54 SU 1210 9.24 1837 1.68		5 0602 2.29 1203 9.69 MO 1836 1.15		20 0032 8.80 0639 2.22 TU 1236 9.33 1859 1.49		5 0106 10.03 0720 0.96 TH 1317 10.34 1940 0.56		20 0100 9.68 0714 1.36 FR 1308 9.74 1924 1.12	
6 0516 2.13 1115 9.84 TH 1741 1.31 ● 2340 9.42		21 0545 2.18 1143 9.79 FR 1811 1.34		6 0000 9.00 0604 2.21 SU 1205 9.89 1837 1.19		21 0040 8.72 0645 2.43 MO 1243 9.28 1909 1.69		6 0040 9.13 0647 1.91 TU 1247 9.94 1917 0.99		21 0100 9.01 0707 2.03 WE 1303 9.43 1925 1.43		6 0140 10.24 0757 0.83 FR 1353 10.17 2013 0.75		21 0123 9.81 0739 1.28 SA 1333 9.65 1947 1.22	
7 0547 1.90 1145 10.16 FR 1814 1.04		22 0012 9.15 0618 2.16 SA 1216 9.77 1845 1.40		7 0040 9.10 0645 2.10 MO 1246 9.92 1919 1.24		22 0111 8.76 0716 2.41 TU 1314 9.23 1939 1.77		7 0120 9.41 0730 1.67 WE 1330 9.99 1958 1.00		22 0125 9.16 0734 1.93 TH 1330 9.43 1950 1.44		7 0214 10.20 0832 0.97 SA 1428 9.75 2044 1.14		22 0146 9.80 0804 1.33 SU 1359 9.41 2010 1.44	
8 0013 9.53 0620 1.80 SA 1218 10.28 1847 0.98		23 0045 9.06 0650 2.24 SU 1248 9.61 1915 1.59		8 0122 9.08 0729 2.13 TU 1330 9.76 2000 1.45		23 0141 8.74 0746 2.45 WE 1344 9.11 2007 1.90		8 0200 9.54 0813 1.59 TH 1412 9.81 2035 1.19		23 0150 9.25 0802 1.89 FR 1357 9.32 2015 1.54		8 0245 9.91 0906 1.35 SU 1500 9.13 2113 1.72		23 0211 9.64 0829 1.52 MO 1423 9.03 2032 1.79	
9 0047 9.47 0653 1.86 SU 1253 10.19 1922 1.15		24 0116 8.88 0720 2.42 MO 1319 9.35 1945 1.87		9 0205 8.96 0813 2.29 WE 1415 9.42 2044 1.79		24 0209 8.70 0816 2.55 TH 1414 8.91 2036 2.08		9 0239 9.52 0854 1.70 FR 1452 9.42 2113 1.54		24 0216 9.25 0830 1.95 SA 1425 9.09 2041 1.74		9 0317 9.39 0940 1.94 MO 1533 8.35 ● 2142 2.45		24 0234 9.35 0854 1.86 TU 1449 8.52 2056 2.27	
10 0122 9.24 0727 2.08 MO 1328 9.89 1958 1.53		25 0145 8.63 0749 2.66 TU 1349 9.03 2015 2.20		10 0250 8.76 0900 2.55 TH 1501 8.95 2129 2.21		25 0239 8.60 0848 2.71 FR 1445 8.62 2106 2.34		10 0317 9.33 0935 1.97 SA 1532 8.87 2150 2.04		25 0243 9.13 0859 2.12 SU 1453 8.73 2106 2.07		10 0350 8.66 1016 2.71 TU 1611 7.46 2215 3.32		25 0300 8.90 0923 2.38 WE 1519 7.84 ● 2122 2.92	
11 0159 8.85 0803 2.46 TU 1406 9.38 2037 2.08		26 0215 8.36 0820 2.97 WE 1420 8.64 2045 2.58		11 0338 8.51 0951 2.88 FR 1554 8.40 ● 2218 2.69		26 0312 8.44 0924 2.94 SA 1521 8.24 2140 2.69		11 0358 8.97 1019 2.40 SU 1616 8.20 ● 2230 2.66		26 0311 8.89 0929 2.39 MO 1524 8.25 2134 2.51		11 0429 7.76 1106 3.59 WE 1704 6.50 2302 4.29		26 0331 8.25 1001 3.12 TH 1558 6.97 2157 3.79	
12 0240 8.35 0845 2.98 WE 1451 8.72 2124 2.72		27 0249 8.05 0854 3.35 TH 1456 8.18 2122 3.02		12 0431 8.24 1052 3.20 SA 1655 7.85 2315 3.15		27 0348 8.20 1005 3.22 SU 1602 7.76 ● 2218 3.11		12 0442 8.46 1110 2.94 MO 1709 7.46 2318 3.36		27 0341 8.53 1004 2.80 TU 1600 7.64 ● 2207 3.10		12 0538 6.81 1302 4.29 TH 1946 5.88		27 0417 7.37 1116 4.02 FR 1729 5.98 2330 4.80	
13 0332 7.82 0940 3.60 TH 1549 7.97 ● 2226 3.38		28 0329 7.70 0938 3.77 FR 1540 7.64 ● 2207 3.50		13 0534 8.00 1205 3.41 SU 1809 7.42		28 0431 7.90 1056 3.52 MO 1656 7.25 2309 3.58		13 0538 7.86 1220 3.45 TU 1824 6.80		28 0419 8.03 1053 3.32 WE 1652 6.91 2256 3.82		13 0159 4.91 0838 6.57 FR 1542 3.88 2215 6.59		28 0653 6.57 1436 4.07 SA 2121 6.33	
14 0445 7.37 1101 4.10 FR 1716 7.35 2355 3.81		29 0422 7.34 1038 4.18 SA 1643 7.11 2310 3.93		14 0028 3.51 0649 7.88 MO 1329 3.37 1935 7.27		29 0529 7.60 1208 3.73 TU 1815 6.84		14 0032 4.02 0702 7.36 WE 1358 3.66 2015 6.58		29 0519 7.42 1221 3.82 TH 1839 6.29		14 0412 4.22 1015 7.32 SA 1642 3.04 2257 7.46		29 0315 4.46 0930 7.32 SU 1610 3.00 2228 7.52	
15 0627 7.28 1300 4.07 SA 1910 7.25		30 0537 7.11 1208 4.36 SU 1816 6.81		15 0147 3.64 0808 7.98 TU 1445 3.08 2054 7.43		30 0022 3.98 0651 7.46 WE 1343 3.63 1956 6.81		15 0221 4.26 0844 7.34 TH 1533 3.35 2153 6.95		30 0039 4.46 0725 7.06 FR 1435 3.69 2100 6.51		15 0459 3.39 1057 8.13 SU 1718 2.33 2326 8.16		30 0428 3.30 1031 8.46 MO 1657 1.97 2305 8.61	
		31 0039 4.13 0713 7.22 MO 1348 4.04 1957 6.99								31 0259 4.29 0918 7.53 SA 1606 2.93 2224 7.32				31 0512 2.21 1113 9.42 TU 1735 1.19 2338 9.50	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 08' S LONG 123° 44' E

Times and Heights of High and Low Waters

2027

Time Zone -0800

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0550 1.35 WE 1810 0.70 ●		16 0558 1.50 TH 1808 1.26 ○		1 0601 0.50 FR 1814 0.75		16 0553 1.06 SA 1800 1.45 2357 10.18		1 0016 10.42 MO 0643 0.67 1242 9.60 1848 1.62		16 0000 10.09 TU 0630 0.91 1230 9.33 1835 1.88		1 0037 9.72 WE 0704 1.29 1307 9.00 1912 2.25		16 0030 9.97 TH 0702 1.02 1306 9.24 1912 1.98	
2 0009 10.16 TH 0626 0.75 1223 10.44 1842 0.46		17 0005 9.82 FR 0622 1.17 1217 9.82 1830 1.13		2 0012 10.76 SA 0634 0.28 1230 10.30 1843 0.80		17 0619 0.83 SU 1217 9.73 1826 1.41		2 0047 10.17 TU 0714 0.97 1313 9.27 1918 1.94		17 0034 10.08 WE 0703 1.01 1304 9.20 1909 2.02		2 0110 9.50 TH 0736 1.54 1339 8.81 1943 2.46		17 0112 9.96 FR 0742 1.09 1346 9.26 1954 2.01	
3 0041 10.58 FR 0700 0.41 1256 10.50 1913 0.47		18 0029 10.08 SA 0646 0.95 1242 9.87 1855 1.11		3 0041 10.78 SU 0705 0.34 1301 10.06 1912 1.05		18 0023 10.28 MO 0647 0.77 1245 9.64 1852 1.50		3 0117 9.74 WE 0744 1.42 1343 8.83 1947 2.38		18 0109 9.87 TH 0738 1.29 1341 8.92 1945 2.31		3 0141 9.19 FR 0806 1.87 1409 8.57 2015 2.75		18 0153 9.75 SA 0821 1.33 1428 9.17 2037 2.17	
4 0112 10.71 SA 0732 0.37 1328 10.27 1942 0.70		19 0052 10.19 SU 0712 0.88 1307 9.77 1918 1.22		4 0111 10.53 MO 0735 0.66 1331 9.61 1939 1.48		19 0050 10.21 TU 0715 0.91 1313 9.39 1918 1.74		4 0146 9.20 TH 0813 1.98 1413 8.32 2015 2.91		19 0145 9.47 FR 0815 1.74 1420 8.54 2025 2.73		4 0212 8.81 SA 0836 2.24 1442 8.30 2047 3.09		19 0236 9.37 SU 0901 1.70 1510 8.98 2123 2.45	
5 0142 10.56 SU 0803 0.61 1359 9.81 2010 1.15		20 0116 10.14 MO 0737 0.97 1332 9.51 1941 1.47		5 0139 10.04 TU 0803 1.19 1400 9.02 2004 2.05		20 0117 9.95 WE 0743 1.23 1342 8.99 1945 2.13		5 0215 8.57 FR 0843 2.60 1445 7.77 2047 3.51		20 0227 8.90 SA 0859 2.30 1507 8.09 2115 3.25		5 0245 8.35 SU 0909 2.67 1517 7.98 2127 3.49		20 0322 8.83 MO 0945 2.17 1557 8.71 2214 2.80	
6 0210 10.14 MO 0832 1.11 1427 9.16 2035 1.76		21 0140 9.92 TU 0801 1.24 1358 9.10 2003 1.85		6 0205 9.38 WE 0830 1.88 1426 8.33 2029 2.73		21 0146 9.51 TH 0813 1.75 1413 8.44 2015 2.67		6 0248 7.87 SA 0918 3.29 1525 7.17 2130 4.18 ●		21 0318 8.20 SU 0951 2.93 1608 7.66 2223 3.75 ●		6 0324 7.81 MO 0947 3.16 1601 7.62 2217 3.92 ●		21 0413 8.21 TU 1032 2.72 1648 8.37 2315 3.18	
7 0237 9.49 TU 0900 1.80 1455 8.38 2100 2.51		22 0204 9.54 WE 0827 1.68 1424 8.55 2028 2.38		7 0231 8.60 TH 0857 2.68 1454 7.55 2054 3.53 ●		22 0219 8.87 FR 0848 2.45 1450 7.75 2053 3.39		7 0333 7.09 SU 1012 4.00 1635 6.60 2253 4.81		22 0430 7.52 MO 1103 3.47 1730 7.43		7 0415 7.21 TU 1038 3.68 1701 7.28 2329 4.24		22 0515 7.57 WE 1131 3.29 1753 8.02	
8 0304 8.67 WE 0930 2.65 1523 7.48 2123 3.39 ●		23 0231 8.99 TH 0856 2.33 1453 7.83 2055 3.10 ●		8 0300 7.70 FR 0930 3.59 1529 6.69 2125 4.43		23 0300 8.03 SA 0937 3.30 1546 6.97 2154 4.25 ●		8 0509 6.39 MO 1201 4.49 1908 6.51		23 0000 3.95 TU 0609 7.14 1239 3.67 1909 7.61		8 0530 6.70 WE 1149 4.11 1827 7.13		23 0033 3.43 TH 0637 7.08 1249 3.74 1917 7.83	
9 0332 7.70 TH 1004 3.65 1559 6.48 2151 4.40		24 0303 8.21 FR 0934 3.21 1533 6.90 2132 4.05		9 0337 6.70 SA 1032 4.54 1713 5.84 2347 5.33		24 0411 7.08 SU 1112 4.07 1800 6.51		9 0147 4.71 TU 0754 6.48 1412 4.24 2040 7.13		24 0145 3.57 WE 0753 7.32 1407 3.45 2028 8.15		9 0115 4.20 TH 0723 6.59 1328 4.20 1958 7.38		24 0204 3.36 FR 0815 7.02 1419 3.85 2041 7.96	
10 0413 6.61 FR 1130 4.66 1937 5.59		25 0351 7.17 SA 1057 4.22 1733 5.94 2350 5.03		10 0739 6.02 SU 1442 4.55 2124 6.49		25 0032 4.67 MO 0701 6.74 1349 3.94 2023 7.18		10 0306 3.93 WE 0905 7.13 1514 3.66 2125 7.87		25 0259 2.87 TH 0905 7.83 1513 3.05 2124 8.75		10 0238 3.69 FR 0846 6.97 1445 3.92 2100 7.88		25 0325 2.97 SA 0936 7.35 1539 3.61 2148 8.31	
11 0220 5.29 SA 0845 6.18 1543 4.20 2215 6.58		26 0717 6.45 SU 1436 4.08 2115 6.71		11 0331 4.47 MO 0927 6.86 1544 3.70 2159 7.44		26 0243 3.80 TU 0851 7.52 1509 3.13 2124 8.22		11 0348 3.10 TH 0948 7.81 1554 3.09 2159 8.56		26 0354 2.18 FR 0959 8.32 1604 2.67 2209 9.23		11 0337 3.00 SA 0943 7.51 1543 3.48 2149 8.46		26 0427 2.46 SU 1037 7.84 1639 3.21 2242 8.74	
12 0411 4.28 SU 1008 7.16 1628 3.25 2240 7.54		27 0317 4.17 MO 0926 7.46 1551 2.98 2205 7.96		12 0408 3.50 TU 1005 7.74 1616 2.94 2223 8.26		27 0342 2.68 WE 0946 8.41 1558 2.38 2204 9.14		12 0422 2.35 FR 1023 8.40 1628 2.61 2229 9.15		27 0439 1.66 SA 1043 8.72 1648 2.39 2249 9.58		12 0423 2.33 SU 1029 8.05 1629 3.03 2231 9.01		27 0515 2.00 MO 1122 8.29 1726 2.82 2326 9.11	
13 0444 3.32 MO 1041 8.06 1657 2.47 2302 8.33		28 0414 2.88 TU 1016 8.60 1634 2.00 2240 9.05		13 0436 2.67 WE 1033 8.47 1644 2.34 2245 8.95		28 0425 1.75 TH 1027 9.11 1637 1.84 2240 9.82		13 0454 1.73 SA 1055 8.85 1700 2.25 2259 9.61		28 0519 1.92 SU 1121 8.37 1728 2.20 2327 9.77 ●		13 0504 1.77 MO 1109 8.51 1711 2.62 2312 9.46		28 0555 1.66 TU 1200 8.66 1804 2.51 ●	
14 0510 2.55 TU 1106 8.77 1722 1.90 2323 8.96		29 0453 1.79 WE 1053 9.48 1710 1.31 2311 9.89		14 0501 1.98 TH 1059 9.02 1709 1.91 2308 9.50		29 0502 1.10 FR 1102 9.55 1713 1.52 2313 10.25 ●		14 0525 1.28 SU 1126 9.16 1730 2.01 2330 9.93 ○		29 0557 1.15 MO 1159 9.11 1804 2.11		14 0545 1.35 TU 1148 8.86 1751 2.31 2351 9.79 ○		29 0002 9.38 WE 0630 1.46 1233 8.91 1839 2.30	
15 0534 1.95 WE 1130 9.28 1745 1.51 2344 9.45		30 0529 1.00 TH 1127 10.04 1742 0.90 2341 10.46 ●		15 0527 1.45 FR 1124 9.41 1734 1.61 2331 9.91 ○		30 0537 0.72 SA 1136 9.77 1745 1.40 2345 10.45		15 0557 1.01 MO 1157 9.32 1802 1.88		30 0002 9.82 TU 0631 1.15 1233 9.11 1839 2.13		15 0623 1.10 WE 1227 9.10 1831 2.09		30 0036 9.53 TH 0701 1.38 1304 9.05 1910 2.19	
				31 0611 0.58 SU 1209 9.78 1817 1.43										31 0107 9.55 FR 0730 1.41 1333 9.11 1940 2.17	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Conditions of Use

- 1) Disclaimer, Attribution and Copyright acknowledgement
 - a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”
 - b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

 - (i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and
 - (ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”
- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.